

Attorney Docket No.: J3681(C)  
Serial No.: 10/521,983  
Filed: August 17, 2005  
Confirmation No.: 1483

### **AMENDMENTS TO THE CLAIMS**

This listing of claims will replace all prior versions and listing of claims in the application.

#### **Listing of Claims:**

Claim 1 (Previously Presented) A suspension antiperspirant aerosol composition comprising milled activated aluminium chlorohydrate (AACH) having non-hollow particles, a carrier fluid comprising a masking oil of viscosity  $10^4$  mm<sup>2</sup>/s or greater.

Claim 2 (Original) An aerosol composition according to claim 1, wherein the AACH is present at a level of from 1% to 30% by weight of the composition.

Claim 3 (Original) An aerosol composition according to claim 2 wherein the AACH is present at a level of from 2% to 5% by weight of the composition.

Claim 4 (Previously Presented) An aerosol composition according to claim 1, wherein the masking oil has a viscosity of 30,000 mm<sup>2</sup>/s or greater.

Claim 5 (Previously Presented) An aerosol composition according to claim 1, wherein the AACH has a continuous RI.

Claim 6 (Previously Presented) An aerosol composition according to claim 1, wherein the masking oil has an RI of 1.40 to 1.57.

Claim 7 (Previously Presented) An aerosol composition according to claim 6, wherein the masking oil is a silicone oil.

Attorney Docket No.: J3681(C)  
Serial No.: 10/521,983  
Filed: August 17, 2005  
Confirmation No.: 1483

Claim 8 (Previously Presented) An aerosol composition according to claim 1, comprising an additional emollient oil.

Claim 9 (Currently Amended) An aerosol composition according to claim 1, further comprising a bulking or suspending agent.

Claim 10 (Currently Amended) An aerosol composition according to claim 1, further comprising a volatile silicone.

Claim 11 (Cancelled)

Claim 12 (Previously Presented) An aerosol composition according to claim 1, wherein the propellant gas is a liquefied gas at a level of from 5 to 95% by weight of the composition.

Claim 13 (Currently Amended) A method of manufacture of a suspension antiperspirant aerosol composition, said method comprising ~~the suspension of~~ forming a suspension of a milled activated aluminium chlorohydrate (AACH) having non-hollow particles in a carrier fluid ~~mixture that comprises~~ comprising a masking oil of viscosity  $10^4$  mm<sup>2</sup>/s or greater, a volatile silicone, and perfume; placing the suspension in an aerosol can; and adding a propellant gas that is in a liquefied form.

Claim 14 (Currently Amended) A method of reducing perspiration and giving low visible deposits comprising ~~the application~~ applying to the human body ~~of a suspension~~ antiperspirant aerosol composition comprising milled AACH having non-hollow particles and a carrier fluid comprising a masking oil of viscosity  $10^4$  mm<sup>2</sup>/s or greater.

Attorney Docket No.: J3681(C)  
Serial No.: 10/521,983  
Filed: August 17, 2005  
Confirmation No.: 1483

Claim 15 (Previously Presented) An aerosol composition according to claim 1 wherein the mean particle size of the milled activated aluminium chlorohydrate is from 20 to 30 microns.